

**ORBEA**



## RALLON M20.

BESCHIKBAAR IN DEZE KLEUREN:



ZWART (DOF) / ZWART  
-PURPER (GLOSS)



GROEN (DOF) / ORANJE  
(GLOSS)



BLAUWGRIJS - BRIGHT RED  
(GLOSS)

## SPECIFICATIES AND OPTIES

<b>FIETSFRAME</b>	Orbea Monocoque Race Carbon. Advanced Dynamics 160mm suspension technology. 29" wheels. Concentric Boost 12x148 rear axle. Pure Enduro geometry. Internal cable routing. ISCG05
<b>SCHOKBREKER</b>	Fox DPX2 Performance 3-Position Evol custom tune 230x60mm
	Fox DHX2 Factory 2-Position Adjust SLS Spring TiN 230x60mm
	Fox Float X2 Factory 2-Position Adjust Kashima 230x60mm
<b>VORK</b>	Fox 36 Float Performance 170 Grip 3-Position QR15x110
	Fox 36 Float Factory 170 Grip2 RC2 QR15x110 Kashima
<b>CRANKSET</b>	Shimano MT610 32t
<b>BALHOOFDLAGER PERB</b>	Acros Alloy 1-1/8 - 1-1/2" Integrated
<b>STUUR</b>	OC1 35mm 12mm Rise 780mm
	Race Face Aeffect 35 20mm Rise 780mm + Aeffect R (Stem)
<b>STUURPEN</b>	OC1 3D Forged 35mm interface 7°
<b>HENDELS</b>	Shimano SLX M7100
<b>REMMEN</b>	Shimano MT501 BR520 Hydraulic Disc
	Shimano XT M8120 Hydraulic Disc
<b>KETTINGWIEL</b>	Shimano SLX M7100 10-51t 12-Speed
<b>ACHTERDERAILLEUR</b>	Shimano SLX M7100 SGS Shadow Plus
<b>KETTING</b>	Shimano M7100
<b>WIELEN</b>	DT Swiss E-1900 Spline 30c TLR 15/110mm CL
	DT Swiss EX-1501 Spline 30c TLR 15/110mm CL
<b>BANDEN</b>	Maxxis Minion DHF 2.50" FB 60 TPI 3C Maxx Terra Exo TR
<b>BANDEN</b>	Maxxis Minion DHR II 2.40" FB 60 TPI Dual Exo TR
<b>TRAPPERS</b>	N/A
<b>ZADELPEN</b>	OC2 Dropper 31.6mm
	Crank Brothers Highline 125mm travel
	Crank Brothers Highline 150mm travel
	Crank Brothers Highline 170mm travel
	OC2 Dropper 31,6 125mm travel
	OC2 Dropper 31,6 150mm travel
	OC2 Dropper 31,6 170mm travel

## GEOMETRIE


MAAT	S/M	L	XL
<b>1 - SEAT_TUBE</b>	406	444	483
<b>2 - TOP_TUBE</b>	583	611	644
<b>3 - HEAD_TUBE</b>	100	110	125
<b>4 - CHAIN_STAY</b>		435	
<b>5 - BB_HEIGHT*</b>		346/339	
<b>6 - BB_DROP*</b>		25/32	
<b>7 - WHEELBASE</b>	1187	1217	1253
<b>8 - HEAD_ANGLE*</b>		65/64,5°	
<b>9 - SEAT_ANGLE*</b>		76/75	
<b>10 - STANDOVER</b>	737	767	781
<b>11 - REACH</b>	430	455	485
<b>12 - STACK</b>	618	627	640
<b>13 - FORK_LENGTH</b>		577,1	
<b>14 - OFFSET</b>		44	

\*

## ERGONOMIE

MAAT	CRANK	STEM	HANDLEBAR
<b>S/M</b>	170	45	780
<b>LG</b>	170	45	780
<b>XL</b>	170	55	780

\* De maat van het fietsstuur is centre-centre



<b>ZADEL</b>	Fizik Taiga S-alloy rail
	Fizik Taiga Kium rail
<b>CHAINGUIDE</b>	N/A
	ONE-UP ISCG05 Chainguide
<b>VÓÓR NAAF</b>	
	Fox Kabolt Boost